



18/ Dec 18
8/ April 18
27/30/03

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner of Patents and Trademarks, Washington, D.C. 20231, on ~~March~~ April 22, 2003.

Angela B.
Attorney for Applicant

PATENT
Docket No. 14097

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:	Edward Friery and Brett Garner)	
)	
Serial No.:	09/677,058)	
)	
Filed:	September 29, 2000)	
)	
For:	AIRBAG PRODUCTS WITH)	Group Art
	NONLINEAR TEAR SEAMS)	Unit 3611
)	
Examiner:	Lee S. Lum)	

DECLARATION UNDER 37 C.F.R. § 1.132

Box Non-Fee Amendment
Assistant Commissioner
for Patents
Washington, D.C. 20231

RECEIVED
APR 24 2003
GROUP 3600

Dear Sir:

I, Edward Friery, declare as follows:

1. I am one of the inventors of the subject matter described and claimed in the above-identified patent application (the "Application"). I have been developing and testing airbag covers for more than five years.

2. Airbags are often located within the steering wheel or dashboard of a vehicle. Seams through which the cushions emerge into the passenger compartment are required to enable consistent positioning of the cushions in the event of an accident.

3. Unfortunately, these seams are visible because the outer cosmetic layer that normally covers the seams indents and deforms toward the seams. This undesired consequence is frequently referred to as the seam "read-through" problem. The visible indentations created by these seams distract from the overall aesthetic scheme of the interior of the vehicle.

4. Furthermore, as the vehicle ages, these indentations will often increase in size as the outer cosmetic layer deforms more completely into the underlying seam. In addition, these seams are frequently placed in conspicuous locations in the vehicle to provide optimal deployment positioning of the airbag cushion, making the visible indicia of these seams even more distracting.

5. The outer cosmetic layer on the steering wheel, where a seam is frequently positioned, is generally quite thin and flexible to enable convenient activation of the horn. Accordingly, the seam read-through problem is often quite pronounced in this highly visible area of the vehicle.

6. I have been involved in developing systems for concealing these seams and elimination of the seam "read-through" problem for more than five years. To my knowledge, concealing these seams has been a recognized problem in the airbag industry for at least seven and a half years. In fact, I was hired by a predecessor of Autoliv ASP Inc., the assignee of the present Application, to resolve this and other problems related to the airbag covers more than seven and a half years ago.

7. One proposed solution to this problem is to place a styling line over the seam. However, this approach is unacceptable because the interior styling of the vehicle must then conform to the newly created style line. In other words, the seams continue to dictate and affect

the interior styling of the vehicle. Thus, this potential solution does not resolve, but merely perpetuates, the problem.

8. In initially addressing the seam read-through problem, I increased the quality and stiffness of the outer cosmetic layer. While this approach decreased the problem, the seam was still visible in many cases.

9. Accordingly, I needed to take a new, innovative approach to fully resolve this problem. The industry standard is a straight or linear tear seam. However, in the process of addressing this problem, Brett Garner, a co-inventor, and I conceived the concept that is the subject matter of the present Application, namely, to redesign the underlying seam to make it nonlinear.

10. However, this proposed solution ran contrary to conventional thinking in the industry. It was widely believed that nonlinear tear seams would not permit proper deployment of the cushion. In particular, it was believed that upon deployment of the cushion, the cover would tear outside of the nonlinear seam such that the cushion would deploy in an unpredictable manner. Even my supervisor, who was a highly experienced and very capable engineer, believed that this would be the case. However, subsequent testing has shown that this is not the case.

11. More importantly, subsequent testing has shown that by making this simple design change and increasing the stiffness of the outer layer, the read-through problem was eliminated. Only by pressing the outer layer with a great deal of force is the underlying seam visible. In addition, in such a scenario, only small portions of the seam are visible at a given time, and the seam was not discernible when the outer layer returns to its normal position. This solution is cost-effective, easy to implement, and provides outstanding results.

12. While this solution to the long-standing problem of seam read-through may seem simple, this simplicity is one of the key advantages of this invention. It is easy and inexpensive to implement in practice.

13. This problem is well known and persistent. As evidence of this, I regularly receive telephone calls from other employees of Autoliv ASP Inc. or its foreign counterparts who are seeking a solution to the problem of seam read-through.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing therefrom.

DATED this 31 day of March 2003.


Edward Friery



4/23/03

3611

PTO/SB/21 (08-00)

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

TRANSMITTAL FORM

(to be used for all correspondence after initial filing)

Application Number 09/677,058

Filing Date 09/29/2000

First Named Inventor Edward Friery et al.

Group Art Unit 3611

Examiner Name Lee S. Lum

Total Number of Pages in This Submission

Attorney Docket Number 14097

ENCLOSURES (check all that apply)

- ☐ Fee Transmittal Form
- ☐ Fee Attached
- ☐ Amendment / Reply
- ☐ After Final
- ☐ Affidavits/declaration(s)
- ☐ Extension of Time Request
- ☐ Express Abandonment Request
- ☐ Information Disclosure Statement
- ☐ Certified Copy of Priority Document(s)
- ☐ Response to Missing Parts/Incomplete Application
- ☐ Response to Missing Parts under 37 CFR 1.52 or 1.53

- ☐ Assignment Papers (for an Application)
- ☐ Drawing(s)
- ☐ Licensing-related Papers
- ☐ Petition
- ☐ Petition to Convert to a Provisional Application
- ☐ Power of Attorney, Revocation Change of Correspondence Address
- ☐ Terminal Disclaimer
- ☐ Request for Refund
- ☐ CD, Number of CD(s) _____

- ☐ After Allowance Communication to Group
- ☐ Appeal Communication to Board of Appeals and Interferences
- ☐ Appeal Communication to Group (Appeal Notice, Brief, Reply Brief)
- ☐ Proprietary Information
- ☐ Status Letter
- ☒ Other Enclosure(s) (please identify below):

Declaration

RECEIVED
APR 24 2003
GROUP 3600

Remarks

SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT

Firm
or
Individual name

Autoliv ASP, Inc.

Signature

Hally J. Bro 37,788

Date

4/22/03

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, Washington, DC 20231 on this date: 4-22-03

Typed or printed name

Vickie Harris

Signature

Vickie Harris

Date

4-22-03

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.